Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2004 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Agriculture
Managing Groundwater Levels in an Agricultural Area with Peat Soils. — Nir Naveh and Uri Shamir; 130(3), 243-54 (2004).

Algorithms
Genetic Algorithms for Reliability-Based Optimization of Water Distribution Systems. — Bryan A. Tolson, Holger R. Maier, Angus R. Simpson, and Barbara J. Lence; 130(1), 63-72 (2004).
Multiobjective Genetic Algorithms for Design of Water Distribution Networks. — T. Devi Prasad and Nam-Sik Park; 130(1), 73-82 (2004).
Impacts of Physical and Chemical Heterogeneities on Aquifer Remediation Design. — Aysegul Aksoy and Teresa B. Culver; 130(4), 311-20 (2004).
Booster Disinfection of Water Supply Networks: Multiobjective Approach. — T. Devi Prasad, G. A. Walters, and D. A. Savic; 130(5), 367-76 (2004).
Robust Water Quality Model Calibration Using an Alternating Fitness Genetic Algorithm. — Rui Zou and Wu-Seng Lung; 130(6), 471-9 (2004).

Allocations
Reallocation of Federal Multipurpose Reservoirs: Principles, Policy, and Practice. — George F. McMahon and Michael C. Farmer; 130(3), 187-97 (2004).

Aquifers
Impacts of Physical and Chemical Heterogeneities on Aquifer Remediation Design. — Aysegul Aksoy and Teresa B. Culver; 130(4), 311-20 (2004).

Arid lands
Multiobjective Optimization for Sustainable Groundwater Management in Semiarid Regions. — James McPhee and William W.-G Yeh; 130(6), 490-7 (2004).

Base flow
Managing Surface Water-Groundwater to Restore Fall Flows in the Cosumnes River. — Jan Fleckenstein, Michael Anderson, Graham Fogg, and Jeffrey Mount; 130(4), 301-10 (2004).

Belgium
Sensitivity Analysis of a Water-Quality Model Using Latin Hypercube Sampling. — Gemma Manache and Charles S. Melching; 130(3), 232-42 (2004).

Benefit cost ratios
State Water Pollution Control Policy Insights from a Reduced-Form Model. — Martin T. Schultz, Mitchell J. Small, R. Scott Farrow, and Paul S. Fischbeck; 130(2), 150-9 (2004).

Benefits
Downstream Economic Benefits from Storm-Water Management. — John B. Braden and Douglas M. Johnston; 130(6), 498-505 (2004).

Best management practice
Effects of Design Practice for Flood Control and Best Management Practices on the Flow-Frequency Curve. — Seth M. Nehrke and Larry A. Roesner; 130(2), 131-9 (2004).
Optimal Location and Sizing of Stormwater Basins at Watershed Scale. — Xiao-Yue "Jenny" Zhen, Shaw L. Yu, and Jen-Yang Lin; 130(4), 339-47 (2004).

Biological treatment
Full Multiscale Approach for Optimal Control of In Situ Bioremediation. — Yong Liu and Barbara S. Minsker; 130(1), 26-32 (2004).

Calibration
Robust Water Quality Model Calibration Using an Alternating Fitness Genetic Algorithm. — Rui Zou and Wu-Seng Lung; 130(6), 471-9 (2004).

California
Interior Floodplain Flood-Damage Reduction Study. — Nathan Pingel and David Ford; 130(2), 123-30 (2004).
Optimization of California's Water Supply System: Results and Insights. — Marion W. Jenkins, Jay R. Lund, Richard E. Howitt, Andrew J. Draper, Siwa M. Msangi, Stacy K. Tanaka, Randall S. Ritzema, and Guilherme F. Marques; 130(4), 271-80 (2004).
Managing Surface Water-Groundwater to Restore Fall Flows in the Cosumnes River. — Jan Fleckenstein, Michael Anderson, Graham Fogg, and Jeffrey Mount; 130(4), 301-10 (2004).
CalSim: Generalized Model for Reservoir System Analysis. — Andrew J. Draper, Armin Munévar, Sushil K. Arora, Erik Reyes, Nancy L. Parker, Francis I. Chung, and Lloyd E. Peterson; 130(6), 480-9 (2004).

Case reports
Reallocation of Federal Multipurpose Reservoirs: Principles, Policy, and Practice. — George F. McMahon and Michael C. Farmer; 130(3), 187-97 (2004).

Chlorine
Randomized Stratified Sampling Methodology for Water Quality in Distribution Systems. — Vanessa L. Speight, William D. Kalsbeek, and Francis A. DiGiano; 130(4), 330-8 (2004).

Climatic changes
Effects of Climate and Dam Operations on Reservoir Thermal Structure. — Brett M. Johnson, Laurel Saito, Mark A. Anderson, Paul Weiss, Mary Andre, and Darrell G. Fontane; 130(2), 112-22 (2004).

Colorado
Strategic River Water Quality Planning Using Calibrated Stochastic Simulation. — Pei-chih Chiang and Timothy K. Gates; 130(3), 215-31 (2004).

Colorado River
Effects of Climate and Dam Operations on Reservoir Thermal Structure. — Brett M. Johnson, Laurel Saito, Mark A. Anderson, Paul Weiss, Mary Andre, and Darrell G. Fontane; 130(2), 112-22 (2004).

Columbia River
Effects of El Niño Southern Oscillation and Pacific Interdecadal Oscillation on Water Supply in the Columbia River Basin. — Steven B. Barton and Jorge A. Ramírez; 130(4), 281-9 (2004).

Computation
Full Multiscale Approach for Optimal Control of In Situ Bioremediation. — Yong Liu and Barbara S. Minsker; 130(1), 26-32 (2004).

Computer models
Group Decision Making in Water Resources Planning Using Multiple Objective Analysis. — Ximing Cai, Leon Lasdon, and Ari M. Michelsen; 130(1), 4-14 (2004).

Configuration
Optimal Location and Sizing of Stormwater Basins at Watershed Scale. — Xiao-Yue "Jenny" Zhen, Shaw L. Yu, and Jen-Yang Lin; 130(4), 339-47 (2004).

Conflict
Group Decision Making in Water Resources Planning Using Multiple Objective Analysis. — Ximing Cai, Leon Lasdon, and Ari M. Michelsen; 130(1), 4-14 (2004).

Construction industry
Booster Disinfection of Water Supply Networks: Multiobjective Approach. — T. Devi Prasad, G. A. Walters, and D. A. Savic; 130(5), 367-76 (2004).

Dams
Effects of Climate and Dam Operations on Reservoir Thermal Structure. — Brett M. Johnson, Laurel Saito, Mark A. Anderson, Paul Weiss, Mary Andre, and Darrell G. Fontane; 130(2), 112-22 (2004).

Data analysis
Robust Water Quality Model Calibration Using an Alternating Fitness Genetic Algorithm. — Rui Zou and Wu-Seng Lung; 130(6), 471-9 (2004).
Identification of Unknown Groundwater Pollution Sources Using Artificial Neural Networks. — Raj Mohan Singh, Bithin Datta, and Ashu Jain; 130(6), 506-14 (2004).

Decision making
Group Decision Making in Water Resources Planning Using Multiple Objective Analysis. — Ximing Cai, Leon Lasdon, and Ari M. Michelsen; 130(1), 4-14 (2004).
Reliability-Based Approach to Multicriteria Deci-

sion Analysis for Water Resources. — Kylie M. Hyde, Holger R. Maier, and Chris B. Colby; 130(6), 429-38 (2004).

Decision support systems

State Water Pollution Control Policy Insights from a Reduced-Form Model. — Martin T. Schultz, Mitchell J. Small, R. Scott Farrow, and Paul S. Fischbeck; 130(2), 150-9 (2004).

Managing Groundwater Levels in an Agricultural Area with Peat Soils. — Nir Naveh and Uri Shamir; 130(3), 243-54 (2004).

Interdisciplinary Web-Enabled Spatial Decision Support System for Watershed Management. — R. L. Dymond, B. Regmi, V. K. Lohani, and R. Dietz; 130(4), 290-300 (2004).

Multiobjective Optimization for Sustainable Groundwater Management in Semiarid Regions. — James McPhee and William W.-G Yeh; 130(6), 490-7 (2004).

Design

Multiobjective Genetic Algorithms for Design of Water Distribution Networks. — T. Devi Prasad and Nam-Sik Park; 130(1), 73-82 (2004).

Striking the Balance: Long-Term Groundwater Monitoring Design for Conflicting Objectives. — Patrick M. Reed and Barbara S. Minsker; 130(2), 140-9 (2004).

Impacts of Physical and Chemical Heterogeneities on Aquifer Remediation Design. — Aysegul Aksoy and Teresa B. Culver; 130(4), 311-20 (2004).

Detention basins

Optimal Location and Sizing of Stormwater Basins at Watershed Scale. — Xiao-Yue "Jenny" Zhen, Shaw L. Yu, and Jen-Yang Lin; 130(4), 339-47 (2004).

Developing countries

Demand-Based Planning of Rural Water Systems in Developing Countries. — Omar S. Hopkins, Donald T. Lauria, and Anthony Kolb; 130(1), 44-52 (2004).

Disinfection

Linear Least-Squares Formulation for Operation of Booster Disinfection Systems. — Marco Propato and James G. Uber; 130(1), 53-62 (2004).

Booster System Design Using Mixed-Integer Quadratic Programming. — Marco Propato and James G. Uber; 130(4), 348-52 (2004).

Booster Disinfection of Water Supply Networks: Multiobjective Approach. — T. Devi Prasad, G. A. Walters, and D. A. Savic; 130(5), 367-76 (2004).

Diversion

Feasible Diversion and Instream Flow Release Using Range of Variability Approach. — Jenq-Tzong Shiau and Fu-Chun Wu; 130(5), 395-404 (2004).

Dynamic programming

Optimal Operation of Multireservoir Systems: State-of-the-Art Review. — John W. Labadie; 130(2), 93-111 (2004).

Fuzzy-State Stochastic Dynamic Programming for Reservoir Operation. — Seyed Jamshid Mousavi, Mohammad Karamouz, and Mohammad Bagher Menhadj; 130(6), 460-70 (2004).

Economic analysis

State Water Pollution Control Policy Insights from a Reduced-Form Model. — Martin T. Schultz, Mitchell J. Small, R. Scott Farrow, and Paul S. Fischbeck; 130(2), 150-9 (2004).

Economic factors

Downstream Economic Benefits from Storm-Water Management. — John B. Braden and Douglas M. Johnston; 130(6), 498-505 (2004).

Evolutionary computation

Operational Optimization of Water Distribution Systems Using a Hybrid Genetic Algorithm. — Jakobus E. van Zyl, Dragan A. Savic, and Godfrey A. Walters; 130(2), 160-70 (2004).

Optimal Layout of Early Warning Detection Stations for Water Distribution Systems Security. — Avi Ostfeld and Elad Salomons; 130(5), 377-85 (2004).

Risk Evaluation in Water Quality Management of a River System. — V. R. Subbarao Vemula, P. P. Mujumdar, and Subimal Ghosh; 130(5), 411-23 (2004).

Federal government

Reallocation of Federal Multipurpose Reservoirs: Principles, Policy, and Practice. — George F. McMahon and Michael C. Farmer; 130(3), 187-97 (2004).

Flood control

Interior Floodplain Flood-Damage Reduction Study. — Nathan Pingel and David Ford; 130(2), 123-30 (2004).

Effects of Design Practice for Flood Control and Best Management Practices on the Flow-Frequency Curve. — Seth M. Nehrke and Larry A. Roesner; 130(2), 131-9 (2004).

Flood damage

Interdisciplinary Planning of Nonstructural Flood Hazard Mitigation. — B. D. Hayes; 130(1), 15-25 (2004).

Interior Floodplain Flood-Damage Reduction Study. — Nathan Pingel and David Ford; 130(2), 123-30 (2004).

Downstream Economic Benefits from Storm-Water Management. — John B. Braden and Douglas M. Johnston; 130(6), 498-505 (2004).

Florida

Water for the Everglades: Application of the South Florida Systems Analysis Model. — David W. Watkins, Jr., Kenneth W. Kirby, and Richard E. Punnett; 130(5), 359-66 (2004).

Flow measurement

Use of Flow Meters for Managing Water Supply Networks. — Bojana Janković-Nišić, Čedo Maksimović, David Butler, and Nigel J. D. Graham; 130(2), 171-9 (2004).

Forecasting

Short-Term Forecasting for Urban Water Consumption. — Alaa H. Aly and Nisai Wanakule; 130(5), 405-10 (2004).

Fuzzy sets

Risk Evaluation in Water Quality Management of a River System. — V. R. Subbarao Vemula, P. P. Mujumdar, and Subimal Ghosh; 130(5), 411-23 (2004).

Fuzzy-State Stochastic Dynamic Programming for Reservoir Operation. — Seyed Jamshid Mousavi, Mohammad Karamouz, and Mohammad Bagher Menhadj; 130(6), 460-70 (2004).

Geographic information systems

Watershed-Based Modeling with AGNPS for Storm Water Management. — Kathleen M. Trauth and D. Scott Adams; 130(3), 206-14 (2004).

Interdisciplinary Web-Enabled Spatial Decision Support System for Watershed Management. — R. L. Dymond, B. Regmi, V. K. Lohani, and R. Dietz; 130(4), 290-300 (2004).

Ground water

Striking the Balance: Long-Term Groundwater Monitoring Design for Conflicting Objectives. — Patrick M. Reed and Barbara S. Minsker; 130(2), 140-9 (2004).

Managing Groundwater Levels in an Agricultural Area with Peat Soils. — Nir Naveh and Uri Shamir; 130(3), 243-54 (2004).

Conjunctive Use of Surface and Groundwater for Coastal and Deltaic Systems. — S. V. N. Rao, S. Murty Bhallamudi, B. S. Thandaveswara, and G. C. Mishra; 130(3), 255-67 (2004).

Managing Surface Water-Groundwater to Restore Fall Flows in the Cosumnes River. — Jan Fleckenstein, Michael Anderson, Graham Fogg, and Jeffrey Mount; 130(4), 301-10 (2004).

Ground-water management

Full Multiscale Approach for Optimal Control of In Situ Bioremediation. — Yong Liu and Barbara S. Minsker; 130(1), 26-32 (2004).

Groundwater Monitoring Network Optimization with Redundancy Reduction. — L. M. Nunes, M. C. Cunha, and L. Ribeiro; 130(1), 33-43 (2004).

Multiobjective Optimization for Sustainable Groundwater Management in Semiarid Regions. — James McPhee and William W.-G Yeh; 130(6), 490-7 (2004).

Ground-water pollution

Identification of Unknown Groundwater Pollution Sources Using Artificial Neural Networks. — Raj Mohan Singh, Bithin Datta, and Ashu Jain; 130(6), 506-14 (2004).

Heterogeneity

Impacts of Physical and Chemical Heterogeneities on Aquifer Remediation Design. — Aysegul Aksoy and Teresa B. Culver; 130(4), 311-20 (2004).

Hybrid methods

Operational Optimization of Water Distribution Systems Using a Hybrid Genetic Algorithm. — Jakobus E. van Zyl, Dragan A. Savic, and Godfrey A. Walters; 130(2), 160-70 (2004).

Hydraulic models

Interior Floodplain Flood-Damage Reduction Study. — Nathan Pingel and David Ford; 130(2), 123-30 (2004).

Hydraulic networks

Genetic Algorithms for Reliability-Based Optimization of Water Distribution Systems. — Bryan A. Tolson, Holger R. Maier, Angus R. Simpson, and Barbara J. Lence; 130(1), 63-72 (2004).

Multiobjective Genetic Algorithms for Design of Water Distribution Networks. — T. Devi Prasad and Nam-Sik Park; 130(1), 73-82 (2004).

Use of Flow Meters for Managing Water Supply Networks. — Bojana Janković-Nišić, Čedo Maksimović, David Butler, and Nigel J. D. Graham; 130(2), 171-9 (2004).

Hydroelectric power generation

Short-Term Scheduling of Large-Scale Hydropower Systems for Energy Maximization. — Jinwen Wang, Xiaohui Yuan, and Yongchuan Zhang; 130(3), 198-205 (2004).

Hydrologic models
Interior Floodplain Flood-Damage Reduction Study. — Nathan Pingel and David Ford; 130(2), 123-30 (2004).
Watershed-Based Modeling with AGNPS for Storm Water Management. — Kathleen M. Trauth and D. Scott Adams; 130(3), 206-14 (2004).
Water for the Everglades: Application of the South Florida Systems Analysis Model. — David W. Watkins, Jr., Kenneth W. Kirby, and Richard E. Punnett; 130(5), 359-66 (2004).

Hydrology
Effects of Design Practice for Flood Control and Best Management Practices on the Flow-Frequency Curve. — Seth M. Nehrke and Larry A. Roesner; 130(2), 131-9 (2004).

India
Conjunctive Use of Surface and Groundwater for Coastal and Deltaic Systems. — S. V. N. Rao, S. Murty Bhallamudi, B. S. Thandaveswara, and G. C. Mishra; 130(3), 255-67 (2004).

Instream flow
Feasible Diversion and Instream Flow Release Using Range of Variability Approach. — Jenq-Tzong Shiau and Fu-Chun Wu; 130(5), 395-404 (2004).

Internet
Interdisciplinary Web-Enabled Spatial Decision Support System for Watershed Management. — R. L. Dymond, B. Regmi, V. K. Lohani, and R. Dietz; 130(4), 290-300 (2004).

Irrigation
Managing Groundwater Levels in an Agricultural Area with Peat Soils. — Nir Naveh and Uri Shamir; 130(3), 243-54 (2004).

Leakage
Leak Estimation in Water Distribution Systems by Statistical Analysis of Flow Readings. — Steven G. Buchberger and Gayatri Nadimpalli; 130(4), 321-9 (2004).

Least squares method
Linear Least-Squares Formulation for Operation of Booster Disinfection Systems. — Marco Propato and James G. Uber; 130(1), 53-62 (2004).

Linear programming
Optimal Operation of Multireservoir Systems: State-of-the-Art Review. — John W. Labadie; 130(2), 93-111 (2004).

Mathematical models
Linear Least-Squares Formulation for Operation of Booster Disinfection Systems. — Marco Propato and James G. Uber; 130(1), 53-62 (2004).
Booster System Design Using Mixed-Integer Quadratic Programming. — Marco Propato and James G. Uber; 130(4), 348-52 (2004).

Models
Effects of Design Practice for Flood Control and Best Management Practices on the Flow-Frequency Curve. — Seth M. Nehrke and Larry A. Roesner; 130(2), 131-9 (2004).
Conditional Reliability Modeling of Short-Term River Basin Management. — A. Andres Salazar and Ralph A. Wurbs; 130(6), 450-9 (2004).

Monitoring
Groundwater Monitoring Network Optimization with Redundancy Reduction. — L. M. Nunes, M. C. Cunha, and L. Ribeiro; 130(1), 33-43 (2004).
Striking the Balance: Long-Term Groundwater Monitoring Design for Conflicting Objectives. — Patrick M. Reed and Barbara S. Minsker; 130(2), 140-9 (2004).
Optimal Layout of Early Warning Detection Stations for Water Distribution Systems Security. — Avi Ostfeld and Elad Salomons; 130(5), 377-85 (2004).

Monte Carlo method
Leak Estimation in Water Distribution Systems by Statistical Analysis of Flow Readings. — Steven G. Buchberger and Gayatri Nadimpalli; 130(4), 321-9 (2004).
Risk Evaluation in Water Quality Management of a River System. — V. R. Subbarao Vemula, P. P. Mujumdar, and Subimal Ghosh; 130(5), 411-23 (2004).
Reliability-Based Approach to Multicriteria Decision Analysis for Water Resources. — Kylie M. Hyde, Holger R. Maier, and Chris B. Colby; 130(6), 429-38 (2004).

Multiple objective analysis
Multiobjective Optimization for Sustainable Groundwater Management in Semiarid Regions. — James McPhee and William W.-G Yeh; 130(6), 490-7 (2004).

Natural flow
Feasible Diversion and Instream Flow Release Using Range of Variability Approach. — Jenq-Tzong Shiau and Fu-Chun Wu; 130(5), 395-404 (2004).

Network reliability
Genetic Algorithms for Reliability-Based Optimization of Water Distribution Systems. — Bryan A. Tolson, Holger R. Maier, Angus R. Simpson, and Barbara J. Lence; 130(1), 63-72 (2004).

Networks
Stochastic Model to Evaluate Residential Water Demands. — Vicente Juan García, Rafael García-Bartual, Enrique Cabrera, Francisco Arregui, and Jorge García-Serra; 130(5), 386-94 (2004).

Neural networks
Identification of Unknown Groundwater Pollution Sources Using Artificial Neural Networks. — Raj Mohan Singh, Bithin Datta, and Ashu Jain; 130(6), 506-14 (2004).

New Mexico
Market Exchange Impact on Water Supply Planning with Water Quality. — Messele Z. Ejeta, J. Thomas McGuckin, and Larry W. Mays; 130(6), 439-49 (2004).

Nonlinear programming
Optimal Operation of Multireservoir Systems: State-of-the-Art Review. — John W. Labadie; 130(2), 93-111 (2004).

Nonpoint pollution
Watershed-Based Modeling with AGNPS for Storm Water Management. — Kathleen M. Trauth and D. Scott Adams; 130(3), 206-14 (2004).
Optimal Location and Sizing of Stormwater Basins at Watershed Scale. — Xiao-Yue "Jenny" Zhen, Shaw L. Yu, and Jen-Yang Lin; 130(4), 339-47 (2004).

Optimization
Full Multiscale Approach for Optimal Control of In Situ Bioremediation. — Yong Liu and Barbara S. Minsker; 130(1), 26-32 (2004).
Demand-Based Planning of Rural Water Systems in Developing Countries. — Omar S. Hopkins, Donald T. Lauria, and Anthony Kolb; 130(1), 44-52 (2004).
Genetic Algorithms for Reliability-Based Optimization of Water Distribution Systems. — Bryan A. Tolson, Holger R. Maier, Angus R. Simpson, and Barbara J. Lence; 130(1), 63-72 (2004).
Operational Optimization of Water Distribution Systems Using a Hybrid Genetic Algorithm. — Jakobus E. van Zyl, Dragan A. Savic, and Godfrey A. Walters; 130(2), 160-70 (2004).
Short-Term Scheduling of Large-Scale Hydropower Systems for Energy Maximization. — Jinwen Wang, Xiaohui Yuan, and Yongchuan Zhang; 130(3), 198-205 (2004).
Managing Groundwater Levels in an Agricultural Area with Peat Soils. — Nir Naveh and Uri Shamir; 130(3), 243-54 (2004).
Optimization of California's Water Supply System: Results and Insights. — Marion W. Jenkins, Jay R. Lund, Richard E. Howitt, Andrew J. Draper, Siwa M. Msangi, Stacy K. Tanaka, Randall S. Ritzema, and Guilherme F. Marques; 130(4), 271-80 (2004).
Optimal Location and Sizing of Stormwater Basins at Watershed Scale. — Xiao-Yue "Jenny" Zhen, Shaw L. Yu, and Jen-Yang Lin; 130(4), 339-47 (2004).
Optimal Layout of Early Warning Detection Stations for Water Distribution Systems Security. — Avi Ostfeld and Elad Salomons; 130(5), 377-85 (2004).
Multiobjective Optimization for Sustainable Groundwater Management in Semiarid Regions. — James McPhee and William W.-G Yeh; 130(6), 490-7 (2004).

Optimization models
Groundwater Monitoring Network Optimization with Redundancy Reduction. — L. M. Nunes, M. C. Cunha, and L. Ribeiro; 130(1), 33-43 (2004).
Optimal Operation of Multireservoir Systems: State-of-the-Art Review. — John W. Labadie; 130(2), 93-111 (2004).
Risk Evaluation in Water Quality Management of a River System. — V. R. Subbarao Vemula, P. P. Mujumdar, and Subimal Ghosh; 130(5), 411-23 (2004).

Oscillations
Effects of El Niño Southern Oscillation and Pacific Interdecadal Oscillation on Water Supply in the Columbia River Basin. — Steven B. Barton and Jorge A. Ramírez; 130(4), 281-9 (2004).

Parks
Water for the Everglades: Application of the South Florida Systems Analysis Model. — David W. Watkins, Jr., Kenneth W. Kirby, and Richard E. Punnett; 130(5), 359-66 (2004).

Peak flow
Effects of Design Practice for Flood Control and Best Management Practices on the Flow-Frequency Curve. — Seth M. Nehrke and Larry A. Roesner; 130(2), 131-9 (2004).

Peat
Managing Groundwater Levels in an Agricultural Area with Peat Soils. — Nir Naveh and Uri Shamir; 130(3), 243-54 (2004).

Poisson ratio
Stochastic Model to Evaluate Residential Water Demands. — Vicente Juan García, Rafael García-Bartual, Enrique Cabrera, Francisco Arregui, and Jorge García-Serra; 130(5), 386-94 (2004).

Pollution sources
Identification of Unknown Groundwater Pollution Sources Using Artificial Neural Networks. — Raj Mohan Singh, Bithin Datta, and Ashu Jain; 130(6), 506-14 (2004).

Probability
Conditional Reliability Modeling of Short-Term River Basin Management. — A. Andres Salazar and Ralph A. Wurbs; 130(6), 450-9 (2004).
Fuzzy-State Stochastic Dynamic Programming for Reservoir Operation. — Seyed Jamshid Mousavi, Mohammad Karamouz, and Mohammad Bagher Menhadj; 130(6), 460-70 (2004).

Probability distribution
Leak Estimation in Water Distribution Systems by Statistical Analysis of Flow Readings. — Steven G. Buchberger and Gayatri Nadimpalli; 130(4), 321-9 (2004).
Stochastic Model to Evaluate Residential Water Demands. — Vicente Juan García, Rafael García-Bartual, Enrique Cabrera, Francisco Arregui, and Jorge García-Serra; 130(5), 386-94 (2004).

Quadratic programming
Linear Least-Squares Formulation for Operation of Booster Disinfection Systems. — Marco Propato and James G. Uber; 130(1), 53-62 (2004).
Booster System Design Using Mixed-Integer Quadratic Programming. — Marco Propato and James G. Uber; 130(4), 348-52 (2004).

Regression models
Short-Term Forecasting for Urban Water Consumption. — Alaa H. Aly and Nisai Wanakule; 130(5), 405-10 (2004).

Regulations
State Water Pollution Control Policy Insights from a Reduced-Form Model. — Martin T. Schultz, Mitchell J. Small, R. Scott Farrow, and Paul S. Fischbeck; 130(2), 150-9 (2004).

Reliability
Multiobjective Genetic Algorithms for Design of Water Distribution Networks. — T. Devi Prasad and Nam-Sik Park; 130(1), 73-82 (2004).
Conditional Reliability Modeling of Short-Term River Basin Management. — A. Andres Salazar and Ralph A. Wurbs; 130(6), 450-9 (2004).

Reliability analysis
Reliability-Based Approach to Multicriteria Decision Analysis for Water Resources. — Kylie M. Hyde, Holger R. Maier, and Chris B. Colby; 130(6), 429-38 (2004).

Remedial action
Interdisciplinary Planning of Nonstructural Flood Hazard Mitigation. — B. D. Hayes; 130(1), 15-25 (2004).
Impacts of Physical and Chemical Heterogeneities on Aquifer Remediation Design. — Aysegul Aksoy and Teresa B. Culver; 130(4), 311-20 (2004).

Remote sensing
Watershed-Based Modeling with AGNPS for Storm Water Management. — Kathleen M. Trauth and D. Scott Adams; 130(3), 206-14 (2004).

Research
Short-Term Scheduling of Large-Scale Hydropower Systems for Energy Maximization. — Jinwen Wang, Xiaohui Yuan, and Yongchuan Zhang; 130(3), 198-205 (2004).

Reservoir operation
Optimal Hedging and Carryover Storage Value. — Andrew J. Draper and Jay R. Lund; 130(1), 83-7 (2004).
Optimal Operation of Multireservoir Systems: State-of-the-Art Review. — John W. Labadie; 130(2), 93-111 (2004).
Fuzzy-State Stochastic Dynamic Programming for Reservoir Operation. — Seyed Jamshid Mousavi, Mohammad Karamouz, and Mohammad Bagher Menhadj; 130(6), 460-70 (2004).

Reservoirs
Effects of Climate and Dam Operations on Reservoir Thermal Structure. — Brett M. Johnson, Laurel Saito, Mark A. Anderson, Paul Weiss, Mary Andre, and Darrell G. Fontane; 130(2), 112-22 (2004).
Reallocation of Federal Multipurpose Reservoirs: Principles, Policy, and Practice. — George F. McMahon and Michael C. Farmer; 130(3), 187-97 (2004).
Conditional Reliability Modeling of Short-Term River Basin Management. — A. Andres Salazar and Ralph A. Wurbs; 130(6), 450-9 (2004).
CalSim: Generalized Model for Reservoir System Analysis. — Andrew J. Draper, Armin Munévar, Sushil K. Arora, Erik Reyes, Nancy L. Parker, Francis I. Chung, and Lloyd E. Peterson; 130(6), 480-9 (2004).

Residential location
Stochastic Model to Evaluate Residential Water Demands. — Vicente Juan García, Rafael García-Bartual, Enrique Cabrera, Francisco Arregui, and Jorge García-Serra; 130(5), 386-94 (2004).

Restoration
Managing Surface Water-Groundwater to Restore Fall Flows in the Cosumnes River. — Jan Fleckenstein, Michael Anderson, Graham Fogg, and Jeffrey Mount; 130(4), 301-10 (2004).

Riparian waters
Multiobjective Optimization for Sustainable Groundwater Management in Semiarid Regions. — James McPhee and William W.-G Yeh; 130(6), 490-7 (2004).

Risk analysis
Interior Floodplain Flood-Damage Reduction Study. — Nathan Pingel and David Ford; 130(2), 123-30 (2004).
Feasible Diversion and Instream Flow Release Using Range of Variability Approach. — Jenq-Tzong Shiau and Fu-Chun Wu; 130(5), 395-404 (2004).
Risk Evaluation in Water Quality Management of a River System. — V. R. Subbarao Vemula, P. P. Mujumdar, and Subimal Ghosh; 130(5), 411-23 (2004).

Risk management
Interdisciplinary Planning of Nonstructural Flood Hazard Mitigation. — B. D. Hayes; 130(1), 15-25 (2004).

River basins
Effects of El Niño Southern Oscillation and Pacific Interdecadal Oscillation on Water Supply in the Columbia River Basin. — Steven B. Barton and Jorge A. Ramírez; 130(4), 281-9 (2004).
Conditional Reliability Modeling of Short-Term River Basin Management. — A. Andres Salazar and Ralph A. Wurbs; 130(6), 450-9 (2004).
CalSim: Generalized Model for Reservoir System Analysis. — Andrew J. Draper, Armin Munévar, Sushil K. Arora, Erik Reyes, Nancy L. Parker, Francis I. Chung, and Lloyd E. Peterson; 130(6), 480-9 (2004).

River systems
Sensitivity Analysis of a Water-Quality Model Using Latin Hypercube Sampling. — Gemma Manache and Charles S. Melching; 130(3), 232-42 (2004).
Risk Evaluation in Water Quality Management of a River System. — V. R. Subbarao Vemula, P. P. Mujumdar, and Subimal Ghosh; 130(5), 411-23 (2004).

Rivers
Strategic River Water Quality Planning Using Calibrated Stochastic Simulation. — Pei-chih Chiang and Timothy K. Gates; 130(3), 215-31 (2004).
Managing Surface Water-Groundwater to Restore Fall Flows in the Cosumnes River. — Jan Fleckenstein, Michael Anderson, Graham Fogg, and Jeffrey Mount; 130(4), 301-10 (2004).

Robust design
Robust Water Quality Model Calibration Using an Alternating Fitness Genetic Algorithm. — Rui Zou and Wu-Seng Lung; 130(6), 471-9 (2004).

Rural areas
Demand-Based Planning of Rural Water Systems in Developing Countries. — Omar S. Hopkins, Donald T. Lauria, and Anthony Kolb; 130(1), 44-52 (2004).

Sampling
Sensitivity Analysis of a Water-Quality Model Using Latin Hypercube Sampling. — Gemma Manache and Charles S. Melching; 130(3), 232-42 (2004).

Sampling design
Randomized Stratified Sampling Methodology for Water Quality in Distribution Systems. — Vanessa L. Speight, William D. Kalsbeek, and Francis A. DiGiano; 130(4), 330-8 (2004).

Scheduling
Short-Term Scheduling of Large-Scale Hydropower Systems for Energy Maximization. — Jinwen Wang, Xiaohui Yuan, and Yongchuan Zhang; 130(3), 198-205 (2004).
Booster Disinfection of Water Supply Networks: Multiobjective Approach. — T. Devi Prasad, G. A. Walters, and D. A. Savic; 130(5), 367-76 (2004).

Security
Optimal Layout of Early Warning Detection Stations for Water Distribution Systems Security. — Avi Ostfeld and Elad Salomons; 130(5), 377-85 (2004).

Sediment transport
Watershed-Based Modeling with AGNPS for Storm Water Management. — Kathleen M. Trauth and D. Scott Adams; 130(3), 206-14 (2004).

Sensitivity analysis
Sensitivity Analysis of a Water-Quality Model Using Latin Hypercube Sampling. — Gemma Manache and Charles S. Melching; 130(3), 232-42 (2004).
Reliability-Based Approach to Multicriteria Decision Analysis for Water Resources. — Kylie M. Hyde, Holger R. Maier, and Chris B. Colby; 130(6), 429-38 (2004).

Simulation
Strategic River Water Quality Planning Using Calibrated Stochastic Simulation. — Pei-chih Chiang and Timothy K. Gates; 130(3), 215-31 (2004).

Simulation models
Effects of Climate and Dam Operations on Reservoir Thermal Structure. — Brett M. Johnson, Laurel Saito, Mark A. Anderson, Paul Weiss, Mary Andre, and Darrell G. Fontane; 130(2), 112-22 (2004).
Impacts of Physical and Chemical Heterogeneities on Aquifer Remediation Design. — Aysegul Aksoy and Teresa B. Culver; 130(4), 311-20 (2004).
Optimal Location and Sizing of Stormwater Basins at Watershed Scale. — Xiao-Yue "Jenny" Zhen, Shaw L. Yu, and Jen-Yang Lin; 130(4), 339-47 (2004).
CalSim: Generalized Model for Reservoir System Analysis. — Andrew J. Draper, Armin Munévar, Sushil K. Arora, Erik Reyes, Nancy L. Parker, Francis I. Chung, and Lloyd E. Peterson; 130(6), 480-9 (2004).

Spain
Stochastic Model to Evaluate Residential Water Demands. — Vicente Juan García, Rafael García-Bartual, Enrique Cabrera, Francisco Arregui, and Jorge García-Serra; 130(5), 386-94 (2004).

State government
Conditional Reliability Modeling of Short-Term River Basin Management. — A. Andres Salazar and Ralph A. Wurbs; 130(6), 450-9 (2004).
CalSim: Generalized Model for Reservoir System Analysis. — Andrew J. Draper, Armin Munévar, Sushil K. Arora, Erik Reyes, Nancy L. Parker, Francis I. Chung, and Lloyd E. Peterson; 130(6), 480-9 (2004).

State-of-the-art reviews
Optimal Operation of Multireservoir Systems: State-of-the-Art Review. — John W. Labadie; 130(2), 93-111 (2004).

Statistical analysis
Leak Estimation in Water Distribution Systems by Statistical Analysis of Flow Readings. — Steven G. Buchberger and Gayatri Nadimpalli; 130(4), 321-9 (2004).

Stochastic models
Optimal Operation of Multireservoir Systems: State-of-the-Art Review. — John W. Labadie; 130(2), 93-111 (2004).
Strategic River Water Quality Planning Using Calibrated Stochastic Simulation. — Pei-chih Chiang and Timothy K. Gates; 130(3), 215-31 (2004).
Stochastic Model to Evaluate Residential Water Demands. — Vicente Juan García, Rafael García-Bartual, Enrique Cabrera, Francisco Arregui, and Jorge García-Serra; 130(5), 386-94 (2004).

Stochastic processes
Fuzzy-State Stochastic Dynamic Programming for Reservoir Operation. — Seyed Jamshid Mousavi, Mohammad Karamouz, and Mohammad Bagher Menhadj; 130(6), 460-70 (2004).

Storm drainage
Downstream Economic Benefits from Storm-Water Management. — John B. Braden and Douglas M. Johnston; 130(6), 498-505 (2004).

Stormwater
Effects of Design Practice for Flood Control and Best Management Practices on the Flow-Frequency Curve. — Seth M. Nehrke and Larry A. Roesner; 130(2), 131-9 (2004).

Stormwater management
Watershed-Based Modeling with AGNPS for Storm Water Management. — Kathleen M. Trauth and D. Scott Adams; 130(3), 206-14 (2004).
Optimal Location and Sizing of Stormwater Basins at Watershed Scale. — Xiao-Yue "Jenny" Zhen, Shaw L. Yu, and Jen-Yang Lin; 130(4), 339-47 (2004).
Downstream Economic Benefits from Storm-Water Management. — John B. Braden and Douglas M. Johnston; 130(6), 498-505 (2004).

Surface waters
Conjunctive Use of Surface and Groundwater for Coastal and Deltaic Systems. — S. V. N. Rao, S. Murty Bhallamudi, B. S. Thandaveswara, and G. C. Mishra; 130(3), 255-67 (2004).
Managing Surface Water-Groundwater to Restore Fall Flows in the Cosumnes River. — Jan Fleckenstein, Michael Anderson, Graham Fogg, and Jeffrey Mount; 130(4), 301-10 (2004).

Taiwan
Feasible Diversion and Instream Flow Release Using Range of Variability Approach. — Jenq-Tzong Shiau and Fu-Chun Wu; 130(5), 395-404 (2004).

Terrorism
Optimal Layout of Early Warning Detection Stations for Water Distribution Systems Security. — Avi Ostfeld and Elad Salomons; 130(5), 377-85 (2004).

Texas
Market Exchange Impact on Water Supply Planning with Water Quality. — Messele Z. Ejeta, J. Thomas McGuckin, and Larry W. Mays; 130(6), 439-49 (2004).
Conditional Reliability Modeling of Short-Term River Basin Management. — A. Andres Salazar and Ralph A. Wurbs; 130(6), 450-9 (2004).

Thermal factors
Effects of Climate and Dam Operations on Reservoir Thermal Structure. — Brett M. Johnson, Laurel Saito, Mark A. Anderson, Paul Weiss, Mary Andre, and Darrell G. Fontane; 130(2), 112-22 (2004).

Time series analysis
Short-Term Forecasting for Urban Water Consumption. — Alaa H. Aly and Nisai Wanakule; 130(5), 405-10 (2004).

U.S. Corps of Engineers
Interdisciplinary Planning of Nonstructural Flood Hazard Mitigation. — B. D. Hayes; 130(1), 15-25 (2004).

Uncertainty analysis
State Water Pollution Control Policy Insights from a Reduced-Form Model. — Martin T. Schultz, Mitchell J. Small, R. Scott Farrow, and Paul S. Fischbeck; 130(2), 150-9 (2004).
Strategic River Water Quality Planning Using Calibrated Stochastic Simulation. — Pei-chih Chiang and Timothy K. Gates; 130(3), 215-31 (2004).
Risk Evaluation in Water Quality Management of a River System. — V. R. Subbarao Vemula, P. P. Mujumdar, and Subimal Ghosh; 130(5), 411-23 (2004).
Reliability-Based Approach to Multicriteria Decision Analysis for Water Resources. — Kylie M. Hyde, Holger R. Maier, and Chris B. Colby; 130(6), 429-38 (2004).

Urban areas
Effects of Design Practice for Flood Control and Best Management Practices on the Flow-Frequency Curve. — Seth M. Nehrke and Larry A. Roesner; 130(2), 131-9 (2004).
Short-Term Forecasting for Urban Water Consumption. — Alaa H. Aly and Nisai Wanakule; 130(5), 405-10 (2004).

Water demand
Short-Term Forecasting for Urban Water Consumption. — Alaa H. Aly and Nisai Wanakule; 130(5), 405-10 (2004).

Water distribution
Linear Least-Squares Formulation for Operation of Booster Disinfection Systems. — Marco Propato and James G. Uber; 130(1), 53-62 (2004).
Genetic Algorithms for Reliability-Based Optimization of Water Distribution Systems. — Bryan A. Tolson, Holger R. Maier, Angus R. Simpson, and Barbara J. Lence; 130(1), 63-72 (2004).
Multiobjective Genetic Algorithms for Design of Water Distribution Networks. — T. Devi Prasad and Nam-Sik Park; 130(1), 73-82 (2004).
Operational Optimization of Water Distribution Systems Using a Hybrid Genetic Algorithm. — Jakobus E. van Zyl, Dragan A. Savic, and Godfrey A. Walters; 130(2), 160-70 (2004).
Use of Flow Meters for Managing Water Supply Networks. — Bojana Janković-Nišić, Čedo Maksimović, David Butler, and Nigel J. D. Graham; 130(2), 171-9 (2004).
Randomized Stratified Sampling Methodology for Water Quality in Distribution Systems. — Vanessa L. Speight, William D. Kalsbeek, and Francis A. DiGiano; 130(4), 330-8 (2004).
Booster System Design Using Mixed-Integer Quadratic Programming. — Marco Propato and James G. Uber; 130(4), 348-52 (2004).
Booster Disinfection of Water Supply Networks: Multiobjective Approach. — T. Devi Prasad, G. A. Walters, and D. A. Savic; 130(5), 367-76 (2004).
Optimal Layout of Early Warning Detection Stations for Water Distribution Systems Security. — Avi Ostfeld and Elad Salomons; 130(5), 377-85 (2004).
Stochastic Model to Evaluate Residential Water Demands. — Vicente Juan García, Rafael García-Bartual, Enrique Cabrera, Francisco Arregui, and Jorge García-Serra; 130(5), 386-94 (2004).

Water levels
Managing Groundwater Levels in an Agricultural Area with Peat Soils. — Nir Naveh and Uri Shamir; 130(3), 243-54 (2004).

Water management
Water for the Everglades: Application of the South Florida Systems Analysis Model. — David W. Watkins, Jr., Kenneth W. Kirby, and Richard E. Punnett; 130(5), 359-66 (2004).
Reliability-Based Approach to Multicriteria Decision Analysis for Water Resources. — Kylie M. Hyde, Holger R. Maier, and Chris B. Colby; 130(6), 429-38 (2004).

Water meters
Use of Flow Meters for Managing Water Supply Networks. — Bojana Janković-Nišić, Čedo Maksimović, David Butler, and Nigel J. D. Graham; 130(2), 171-9 (2004).

Water pollution
Sensitivity Analysis of a Water-Quality Model Using Latin Hypercube Sampling. — Gemma Manache and Charles S. Melching; 130(3), 232-42 (2004).
Optimal Location and Sizing of Stormwater Basins at Watershed Scale. — Xiao-Yue "Jenny" Zhen, Shaw L. Yu, and Jen-Yang Lin; 130(4), 339-47 (2004).

Water quality
Linear Least-Squares Formulation for Operation of Booster Disinfection Systems. — Marco Propato and James G. Uber; 130(1), 53-62 (2004).
Watershed-Based Modeling with AGNPS for Storm Water Management. — Kathleen M. Trauth and D. Scott Adams; 130(3), 206-14 (2004).
Strategic River Water Quality Planning Using Calibrated Stochastic Simulation. — Pei-chih Chiang and Timothy K. Gates; 130(3), 215-31 (2004).
Sensitivity Analysis of a Water-Quality Model Using Latin Hypercube Sampling. — Gemma Manache and Charles S. Melching; 130(3), 232-42 (2004).
Randomized Stratified Sampling Methodology for Water Quality in Distribution Systems. — Vanessa L. Speight, William D. Kalsbeek, and Francis A. DiGiano; 130(4), 330-8 (2004).
Booster System Design Using Mixed-Integer Quadratic Programming. — Marco Propato and James G. Uber; 130(4), 348-52 (2004).
Booster Disinfection of Water Supply Networks: Multiobjective Approach. — T. Devi Prasad, G. A. Walters, and D. A. Savic; 130(5), 367-76 (2004).
Optimal Layout of Early Warning Detection Stations for Water Distribution Systems Security. — Avi Ostfeld and Elad Salomons; 130(5), 377-85 (2004).
Risk Evaluation in Water Quality Management of a River System. — V. R. Subbarao Vemula, P. P. Mujumdar, and Subimal Ghosh; 130(5), 411-23 (2004).
Market Exchange Impact on Water Supply Planning with Water Quality. — Messele Z. Ejeta, J. Thomas McGuckin, and Larry W. Mays; 130(6), 439-49 (2004).
Robust Water Quality Model Calibration Using an Alternating Fitness Genetic Algorithm. — Rui Zou and Wu-Seng Lung; 130(6), 471-9 (2004).
Downstream Economic Benefits from Storm-Water Management. — John B. Braden and Douglas M. Johnston; 130(6), 498-505 (2004).

Water quality control
State Water Pollution Control Policy Insights from a Reduced-Form Model. — Martin T. Schultz, Mitchell J. Small, R. Scott Farrow, and Paul S. Fischbeck; 130(2), 150-9 (2004).

Water resources management
Group Decision Making in Water Resources Planning Using Multiple Objective Analysis. — Ximing Cai, Leon Lasdon, and Ari M. Michelsen; 130(1), 4-14 (2004).
Striking the Balance: Long-Term Groundwater Monitoring Design for Conflicting Objectives. — Patrick M. Reed and Barbara S. Minsker; 130(2), 140-9 (2004).
Conjunctive Use of Surface and Groundwater for Coastal and Deltaic Systems. — S. V. N. Rao, S. Murty Bhallamudi, B. S. Thandaveswara, and G. C. Mishra; 130(3), 255-67 (2004).
Reliability-Based Approach to Multicriteria Decision Analysis for Water Resources. — Kylie M. Hyde, Holger R. Maier, and Chris B. Colby; 130(6), 429-38 (2004).
CalSim: Generalized Model for Reservoir System Analysis. — Andrew J. Draper, Armin Munévar, Sushil K. Arora, Erik Reyes, Nancy L. Parker, Francis I. Chung, and Lloyd E. Peterson; 130(6), 480-9 (2004).

Water rights
Conditional Reliability Modeling of Short-Term River Basin Management. — A. Andres Salazar and Ralph A. Wurbs; 130(6), 450-9 (2004).

Water shortage
Optimization of California's Water Supply System: Results and Insights. — Marion W. Jenkins, Jay R. Lund, Richard E. Howitt, Andrew J. Draper, Siwa M. Msangi, Stacy K. Tanaka, Randall S. Ritzema, and Guilherme F. Marques; 130(4), 271-80 (2004).
Feasible Diversion and Instream Flow Release Using Range of Variability Approach. — Jenq-Tzong Shiau and Fu-Chun Wu; 130(5), 395-404 (2004).

Water storage
Optimal Hedging and Carryover Storage Value. — Andrew J. Draper and Jay R. Lund; 130(1), 83-7 (2004).

Water supply
Demand-Based Planning of Rural Water Systems in Developing Countries. — Omar S. Hopkins, Donald T. Lauria, and Anthony Kolb; 130(1), 44-52 (2004).
Optimal Hedging and Carryover Storage Value. — Andrew J. Draper and Jay R. Lund; 130(1), 83-7 (2004).
Use of Flow Meters for Managing Water Supply Networks. — Bojana Janković-Nišić, Čedo Maksimović, David Butler, and Nigel J. D. Graham; 130(2), 171-9 (2004).
Optimization of California's Water Supply System: Results and Insights. — Marion W. Jenkins, Jay R. Lund, Richard E. Howitt, Andrew J. Draper, Siwa M. Msangi, Stacy K. Tanaka, Randall S. Ritzema, and Guilherme F. Marques; 130(4), 271-80 (2004).
Effects of El Niño Southern Oscillation and Pacific Interdecadal Oscillation on Water Supply in the Columbia River Basin. — Steven B. Barton and Jorge A. Ramírez; 130(4), 281-9 (2004).
Water for the Everglades: Application of the South Florida Systems Analysis Model. — David W. Watkins, Jr., Kenneth W. Kirby, and Richard E. Punnett; 130(5), 359-66 (2004).
Market Exchange Impact on Water Supply Planning with Water Quality. — Messele Z. Ejeta, J. Thomas McGuckin, and Larry W. Mays; 130(6), 439-49 (2004).

Water use
Conjunctive Use of Surface and Groundwater for Coastal and Deltaic Systems. — S. V. N. Rao, S. Murty Bhallamudi, B. S. Thandaveswara, and G. C. Mishra; 130(3), 255-67 (2004).
Stochastic Model to Evaluate Residential Water Demands. — Vicente Juan García, Rafael García-Bartual, Enrique Cabrera, Francisco Arregui, and Jorge García-Serra; 130(5), 386-94 (2004).
Market Exchange Impact on Water Supply Planning with Water Quality. — Messele Z. Ejeta, J. Thomas McGuckin, and Larry W. Mays; 130(6), 439-49 (2004).

Watershed management
Watershed-Based Modeling with AGNPS for Storm Water Management. — Kathleen M. Trauth and D. Scott Adams; 130(3), 206-14 (2004).
Interdisciplinary Web-Enabled Spatial Decision Support System for Watershed Management. — R. L. Dymond, B. Regmi, V. K. Lohani, and R. Dietz; 130(4), 290-300 (2004).
Optimal Location and Sizing of Stormwater Basins at Watershed Scale. — Xiao-Yue "Jenny" Zhen, Shaw L. Yu, and Jen-Yang Lin; 130(4), 339-47 (2004).

Author Index

Adams, D. Scott
Watershed-Based Modeling with AGNPS for Storm Water Management. — Kathleen M. Trauth and D. Scott Adams; 130(3), 206-14 (2004).

Aksoy, Aysegul
Impacts of Physical and Chemical Heterogeneities on Aquifer Remediation Design. — Aysegul Aksoy and Teresa B. Culver; 130(4), 311-20 (2004).

Aly, Alaa H.
Short-Term Forecasting for Urban Water Consumption. — Alaa H. Aly and Nisai Wanakule; 130(5), 405-10 (2004).

Anderson, Mark A.
Effects of Climate and Dam Operations on Reservoir Thermal Structure. — Brett M. Johnson, Laurel Saito, Mark A. Anderson, Paul Weiss, Mary Andre, and Darrell G. Fontane; 130(2), 112-22 (2004).

Anderson, Michael
Managing Surface Water-Groundwater to Restore Fall Flows in the Cosumnes River. — Jan Fleckenstein, Michael Anderson, Graham Fogg, and Jeffrey Mount; 130(4), 301-10 (2004).

Andre, Mary
Effects of Climate and Dam Operations on Reservoir Thermal Structure. — Brett M. Johnson, Laurel Saito, Mark A. Anderson, Paul Weiss, Mary Andre, and Darrell G. Fontane; 130(2), 112-22 (2004).

Arora, Sushil K.
CalSim: Generalized Model for Reservoir System Analysis. — Andrew J. Draper, Armin Munévar, Sushil K. Arora, Erik Reyes, Nancy L. Parker, Francis I. Chung, and Lloyd E. Peterson; 130(6), 480-9 (2004).

Arregui, Francisco
Stochastic Model to Evaluate Residential Water Demands. — Vicente Juan García, Rafael García-Bartual, Enrique Cabrera, Francisco Arregui, and Jorge García-Serra; 130(5), 386-94 (2004).

Barton, Steven B.
Effects of El Niño Southern Oscillation and Pacific Interdecadal Oscillation on Water Supply in the Columbia River Basin. — Steven B. Barton and Jorge A. Ramírez; 130(4), 281-9 (2004).

Bhallamudi, S. Murty
Conjunctive Use of Surface and Groundwater for Coastal and Deltaic Systems. — S. V. N. Rao, S. Murty Bhallamudi, B. S. Thandaveswara, and G. C. Mishra; 130(3), 255-67 (2004).

Braden, John B.
Downstream Economic Benefits from Storm-Water Management. — John B. Braden and Douglas M. Johnston; 130(6), 498-505 (2004).

Buchberger, Steven G.
Leak Estimation in Water Distribution Systems by Statistical Analysis of Flow Readings. — Steven G. Buchberger and Gayatri Nadimpalli; 130(4), 321-9 (2004).

Butler, David
Use of Flow Meters for Managing Water Supply Networks. — Bojana Janković-Nišić, Čedo Maksimović, David Butler, and Nigel J. D. Graham; 130(2), 171-9 (2004).

Cabrera, Enrique
Stochastic Model to Evaluate Residential Water Demands. — Vicente Juan García, Rafael García-Bartual, Enrique Cabrera, Francisco Arregui, and Jorge García-Serra; 130(5), 386-94 (2004).

Cai, Ximing
Group Decision Making in Water Resources Planning Using Multiple Objective Analysis. — Ximing Cai, Leon Lasdon, and Ari M. Michelsen; 130(1), 4-14 (2004).

Chiang, Pei-chih
Strategic River Water Quality Planning Using Calibrated Stochastic Simulation. — Pei-chih Chiang and Timothy K. Gates; 130(3), 215-31 (2004).

Chung, Francis I.
CalSim: Generalized Model for Reservoir System Analysis. — Andrew J. Draper, Armin Munévar, Sushil K. Arora, Erik Reyes, Nancy L. Parker, Francis I. Chung, and Lloyd E. Peterson; 130(6), 480-9 (2004).

Colby, Chris B.
Reliability-Based Approach to Multicriteria Decision Analysis for Water Resources. — Kylie M. Hyde, Holger R. Maier, and Chris B. Colby; 130(6), 429-38 (2004).

Colombo, Andrew F.
Closure to "Energy and Costs of Leaky Pipes: Toward Comprehensive Picture" by Andrew F. Colombo and Bryan W. Karney. — Andrew F. Colombo and Bryan W. Karney; 130(2), 181-3 (2004).

Culver, Teresa B.
Impacts of Physical and Chemical Heterogeneities on Aquifer Remediation Design. — Aysegul Aksoy and Teresa B. Culver; 130(4), 311-20 (2004).

Cunha, M. C.
Groundwater Monitoring Network Optimization with Redundancy Reduction. — L. M. Nunes, M. C. Cunha, and L. Ribeiro; 130(1), 33-43 (2004).

Datta, Bithin
Identification of Unknown Groundwater Pollution Sources Using Artificial Neural Networks. — Raj Mohan Singh, Bithin Datta, and Ashu Jain; 130(6), 506-14 (2004).

Dietz, R.
Interdisciplinary Web-Enabled Spatial Decision Support System for Watershed Management. — R. L. Dymond, B. Regmi, V. K. Lohani, and R. Dietz; 130(4), 290-300 (2004).

DiGiano, Francis A.
Randomized Stratified Sampling Methodology for Water Quality in Distribution Systems. — Vanessa L. Speight, William D. Kalsbeek, and Francis A. DiGiano; 130(4), 330-8 (2004).

Draper, Andrew J.
Optimal Hedging and Carryover Storage Value. — Andrew J. Draper and Jay R. Lund; 130(1), 83-7 (2004).
Optimization of California's Water Supply System: Results and Insights. — Marion W. Jenkins, Jay R. Lund, Richard E. Howitt, Andrew J. Draper, Siwa M. Msangi, Stacy K. Tanaka, Randall S. Ritzema, and Guilherme F. Marques; 130(4), 271-80 (2004).
CalSim: Generalized Model for Reservoir System Analysis. — Andrew J. Draper, Armin Munévar, Sushil K. Arora, Erik Reyes, Nancy L. Parker, Francis I. Chung, and Lloyd E. Peterson; 130(6), 480-9 (2004).

Dymond, R. L.
Interdisciplinary Web-Enabled Spatial Decision Support System for Watershed Management. — R. L. Dymond, B. Regmi, V. K. Lohani, and R. Dietz; 130(4), 290-300 (2004).

Eheart, J. Wayland
No River Left Behind: A Call for Regulation in a Deregulating and Misregulating Era. — J. Wayland Eheart; 130(5), 357-8 (2004).

Ejeta, Messele Z.
Market Exchange Impact on Water Supply Planning with Water Quality. — Messele Z. Ejeta, J. Thomas McGuckin, and Larry W. Mays; 130(6), 439-49 (2004).

Farmer, Michael C.
Reallocation of Federal Multipurpose Reservoirs: Principles, Policy, and Practice. — George F. McMahon and Michael C. Farmer; 130(3), 187-97 (2004).

Farrow, R. Scott
State Water Pollution Control Policy Insights from a Reduced-Form Model. — Martin T. Schultz, Mitchell J. Small, R. Scott Farrow, and Paul S. Fischbeck; 130(2), 150-9 (2004).

Fischbeck, Paul S.
State Water Pollution Control Policy Insights from a Reduced-Form Model. — Martin T. Schultz, Mitchell J. Small, R. Scott Farrow, and Paul S. Fischbeck; 130(2), 150-9 (2004).

Fleckenstein, Jan
Managing Surface Water-Groundwater to Restore Fall Flows in the Cosumnes River. — Jan Fleckenstein, Michael Anderson, Graham Fogg, and Jeffrey Mount; 130(4), 301-10 (2004).

Fogg, Graham
Managing Surface Water-Groundwater to Restore Fall Flows in the Cosumnes River. — Jan Fleckenstein, Michael Anderson, Graham Fogg, and Jeffrey Mount; 130(4), 301-10 (2004).

Fontane, Darrell G.
Effects of Climate and Dam Operations on Reservoir Thermal Structure. — Brett M. Johnson, Laurel Saito, Mark A. Anderson, Paul Weiss, Mary Andre, and Darrell G. Fontane; 130(2), 112-22 (2004).

Ford, David
Interior Floodplain Flood-Damage Reduction Study. — Nathan Pingel and David Ford; 130(2), 123-30 (2004).

García, Vicente Juan
Stochastic Model to Evaluate Residential Water Demands. — Vicente Juan García, Rafael García-Bartual, Enrique Cabrera, Francisco Arregui, and Jorge García-Serra; 130(5), 386-94 (2004).

García-Bartual, Rafael
Stochastic Model to Evaluate Residential Water Demands. — Vicente Juan García, Rafael García-Bartual, Enrique Cabrera, Francisco Arregui, and Jorge García-Serra; 130(5), 386-94 (2004).

García-Serra, Jorge
Stochastic Model to Evaluate Residential Water Demands. — Vicente Juan García, Rafael García-Bartual, Enrique Cabrera, Francisco Arregui, and Jorge García-Serra; 130(5), 386-94 (2004).

Gates, Timothy K.
Strategic River Water Quality Planning Using Calibrated Stochastic Simulation. — Pei-chih Chiang and Timothy K. Gates; 130(3), 215-31 (2004).

Ghosh, Subimal
Risk Evaluation in Water Quality Management of a River System. — V. R. Subbarao Vemula, P. P. Mujumdar, and Subimal Ghosh; 130(5), 411-23 (2004).

Graham, Nigel J. D.
Use of Flow Meters for Managing Water Supply Networks. — Bojana Janković-Nišić, Čedo Maksimović, David Butler, and Nigel J. D. Graham; 130(2), 171-9 (2004).

Grigg, Neil S.
Review of *Water Resources Management* by David Stephenson. — Neil S. Grigg; 130(3), 268 (2004).
Review of *Water Desalting Planning Guide for Water Utilities* by Water Desalting Committee, American Water Works Association. — Neil S. Grigg; 130(5), 424 (2004).

Gute, David M.
Public Health Engineering: Water as a Focus in Restoring the Connection between Engineering and Public Health. — David M. Gute; 130(6), 425-8 (2004).

Hayes, B. D.
Interdisciplinary Planning of Nonstructural Flood Hazard Mitigation. — B. D. Hayes; 130(1), 15-25 (2004).

Hopkins, Omar S.
Demand-Based Planning of Rural Water Systems in Developing Countries. — Omar S. Hopkins, Donald T. Lauria, and Anthony Kolb; 130(1), 44-52 (2004).

Howitt, Richard E.
Optimization of California's Water Supply System: Results and Insights. — Marion W. Jenkins, Jay R. Lund, Richard E. Howitt, Andrew J. Draper, Siwa M. Msangi, Stacy K. Tanaka, Randall S. Ritzema, and Guilherme F. Marques; 130(4), 271-80 (2004).

Hyde, Kylie M.
Reliability-Based Approach to Multicriteria Decision Analysis for Water Resources. — Kylie M. Hyde, Holger R. Maier, and Chris B. Colby; 130(6), 429-38 (2004).

Jain, Ashu
Identification of Unknown Groundwater Pollution Sources Using Artificial Neural Networks. — Raj Mohan Singh, Bithin Datta, and Ashu Jain; 130(6), 506-14 (2004).

Janković-Nišić, Bojana
Use of Flow Meters for Managing Water Supply Networks. — Bojana Janković-Nišić, Čedo Maksimović, David Butler, and Nigel J. D. Graham; 130(2), 171-9 (2004).

Jenkins, Marion W.
Optimization of California's Water Supply System: Results and Insights. — Marion W. Jenkins, Jay R. Lund, Richard E. Howitt, Andrew J. Draper, Siwa M. Msangi, Stacy K. Tanaka, Randall S. Ritzema, and Guilherme F. Marques; 130(4), 271-80 (2004).

Johnson, Brett M.
Effects of Climate and Dam Operations on Reservoir Thermal Structure. — Brett M. Johnson, Laurel Saito, Mark A. Anderson, Paul Weiss, Mary Andre, and Darrell G. Fontane; 130(2), 112-22 (2004).

Johnston, Douglas M.
Downstream Economic Benefits from Storm-Water Management. — John B. Braden and Douglas M. Johnston; 130(6), 498-505 (2004).

Kalsbeek, William D.
Randomized Stratified Sampling Methodology for Water Quality in Distribution Systems. — Vanessa L. Speight, William D. Kalsbeek, and Francis A. DiGiano; 130(4), 330-8 (2004).

Karamouz, Mohammad
Fuzzy-State Stochastic Dynamic Programming for Reservoir Operation. — Seyed Jamshid Mousavi, Mohammad Karamouz, and Mohammad Bagher Menhadj; 130(6), 460-70 (2004).

Karney, Bryan W.
Closure to "Energy and Costs of Leaky Pipes: Toward Comprehensive Picture" by Andrew F. Colombo and Bryan W. Karney. — Andrew F. Colombo and Bryan W. Karney; 130(2), 181-3 (2004).

Kirby, Kenneth W.
Water for the Everglades: Application of the South Florida Systems Analysis Model. — David W. Watkins, Jr., Kenneth W. Kirby, and Richard E. Punnett; 130(5), 359-66 (2004).

Kirshen, Paul H.
Challenges in Graduate Education in Integrated Water Resources Management. — Paul H. Kirshen, Richard M. Vogel, and Beatrice L. Rogers; 130(3), 185-6 (2004).

Kolb, Anthony
Demand-Based Planning of Rural Water Systems in Developing Countries. — Omar S. Hopkins, Donald T. Lauria, and Anthony Kolb; 130(1), 44-52 (2004).

Labadie, John W.
Optimal Operation of Multireservoir Systems: State-of-the-Art Review. — John W. Labadie; 130(2), 93-111 (2004).

Lasdon, Leon
Group Decision Making in Water Resources Planning Using Multiple Objective Analysis. — Ximing Cai, Leon Lasdon, and Ari M. Michelsen; 130(1), 4-14 (2004).

Lauria, Donald T.
Demand-Based Planning of Rural Water Systems in Developing Countries. — Omar S. Hopkins, Donald T. Lauria, and Anthony Kolb; 130(1), 44-52 (2004).
Discussion of "Cost Models for Water Supply Distribution Systems" by Robert M. Clark, Mano Sivaganesan, Ari Selvakumar, and Virendra Sethi. — Donald T. Lauria; 130(4), 353-5 (2004).

Lence, Barbara J.
Genetic Algorithms for Reliability-Based Optimization of Water Distribution Systems. — Bryan A. Tolson, Holger R. Maier, Angus R. Simpson, and Barbara J. Lence; 130(1), 63-72 (2004).

Lin, Jen-Yang
Optimal Location and Sizing of Stormwater Basins at Watershed Scale. — Xiao-Yue "Jenny" Zhen, Shaw L. Yu, and Jen-Yang Lin; 130(4), 339-47 (2004).

Liu, Yong
Full Multiscale Approach for Optimal Control of In Situ Bioremediation. — Yong Liu and Barbara S. Minsker; 130(1), 26-32 (2004).

Lohani, V. K.
Interdisciplinary Web-Enabled Spatial Decision Support System for Watershed Management. — R. L. Dymond, B. Regmi, V. K. Lohani, and R. Dietz; 130(4), 290-300 (2004).

Lund, Jay R.
Optimal Hedging and Carryover Storage Value. — Andrew J. Draper and Jay R. Lund; 130(1), 83-7 (2004).
Optimization of California's Water Supply System: Results and Insights. — Marion W. Jenkins, Jay R. Lund, Richard E. Howitt, Andrew J. Draper, Siwa M. Msangi, Stacy K. Tanaka, Randall S. Ritzema, and Guilherme F. Marques; 130(4), 271-80 (2004).

Lung, Wu-Seng
Robust Water Quality Model Calibration Using an Alternating Fitness Genetic Algorithm. — Rui Zou and Wu-Seng Lung; 130(6), 471-9 (2004).

Maier, Holger R.
Genetic Algorithms for Reliability-Based Optimization of Water Distribution Systems. — Bryan A. Tolson, Holger R. Maier, Angus R. Simpson, and Barbara J. Lence; 130(1), 63-72 (2004).
Reliability-Based Approach to Multicriteria Decision Analysis for Water Resources. — Kylie M. Hyde, Holger R. Maier, and Chris B. Colby; 130(6), 429-38 (2004).

Maksimović, Čedo
Use of Flow Meters for Managing Water Supply Networks. — Bojana Janković-Nišić, Čedo Maksimović, David Butler, and Nigel J. D. Graham; 130(2), 171-9 (2004).

Manache, Gemma
Sensitivity Analysis of a Water-Quality Model Using Latin Hypercube Sampling. — Gemma Manache and Charles S. Melching; 130(3), 232-42 (2004).

Marques, Guilherme F.
Optimization of California's Water Supply System: Results and Insights. — Marion W. Jenkins, Jay R. Lund, Richard E. Howitt, Andrew J. Draper, Siwa M. Msangi, Stacy K. Tanaka, Randall S. Ritzema, and Guilherme F. Marques; 130(4), 271-80 (2004).

Mays, Larry W.
Market Exchange Impact on Water Supply Planning with Water Quality. — Messele Z. Ejeta, J. Thomas McGuckin, and Larry W. Mays; 130(6), 439-49 (2004).

McCuen, Richard H.
Whatever Happened to Publish or Perish? — Richard H. McCuen; 130(4), 269-70 (2004).

McGuckin, J. Thomas
Market Exchange Impact on Water Supply Planning with Water Quality. — Messele Z. Ejeta, J. Thomas McGuckin, and Larry W. Mays; 130(6), 439-49 (2004).

McMahon, George F.
Reallocation of Federal Multipurpose Reservoirs: Principles, Policy, and Practice. — George F. McMahon and Michael C. Farmer; 130(3), 187-97 (2004).

McPhee, James
Multiobjective Optimization for Sustainable Groundwater Management in Semiarid Regions. — James McPhee and William W.-G Yeh; 130(6), 490-7 (2004).

Melching, Charles S.
Sensitivity Analysis of a Water-Quality Model Using Latin Hypercube Sampling. — Gemma Manache and Charles S. Melching; 130(3), 232-42 (2004).

Menhadj, Mohammad Bagher
Fuzzy-State Stochastic Dynamic Programming for Reservoir Operation. — Seyed Jamshid Mousavi, Mohammad Karamouz, and Mohammad Bagher Menhadj; 130(6), 460-70 (2004).

Michelsen, Ari M.
Group Decision Making in Water Resources Planning Using Multiple Objective Analysis. — Ximing Cai, Leon Lasdon, and Ari M. Michelsen; 130(1), 4-14 (2004).

Minsker, Barbara S.
Full Multiscale Approach for Optimal Control of In Situ Bioremediation. — Yong Liu and Barbara S. Minsker; 130(1), 26-32 (2004).
Striking the Balance: Long-Term Groundwater Monitoring Design for Conflicting Objectives. — Patrick M. Reed and Barbara S. Minsker; 130(2), 140-9 (2004).

Mishra, G. C.
Conjunctive Use of Surface and Groundwater for Coastal and Deltaic Systems. — S. V. N. Rao, S. Murty Bhallamudi, B. S. Thandaveswara, and G. C. Mishra; 130(3), 255-67 (2004).

Mount, Jeffrey
Managing Surface Water-Groundwater to Restore Fall Flows in the Cosumnes River. — Jan Fleckenstein, Michael Anderson, Graham Fogg, and Jeffrey Mount; 130(4), 301-10 (2004).

Mousavi, Seyed Jamshid
Fuzzy-State Stochastic Dynamic Programming for Reservoir Operation. — Seyed Jamshid Mousavi, Mohammad Karamouz, and Mohammad Bagher Menhadj; 130(6), 460-70 (2004).

Msangi, Siwa M.
Optimization of California's Water Supply System: Results and Insights. — Marion W. Jenkins, Jay R. Lund, Richard E. Howitt, Andrew J. Draper, Siwa M. Msangi, Stacy K. Tanaka, Randall S. Ritzema, and Guilherme F. Marques; 130(4), 271-80 (2004).

Mujumdar, P. P.
Risk Evaluation in Water Quality Management of a River System. — V. R. Subbarao Vemula, P. P. Mujumdar, and Subimal Ghosh; 130(5), 411-23 (2004).

Munévar, Armin
CalSim: Generalized Model for Reservoir System Analysis. — Andrew J. Draper, Armin Munévar, Sushil K. Arora, Erik Reyes, Nancy L. Parker, Francis I. Chung, and Lloyd E. Peterson; 130(6), 480-9 (2004).

Nadimpalli, Gayatri
Leak Estimation in Water Distribution Systems by Statistical Analysis of Flow Readings. — Steven G. Buchberger and Gayatri Nadimpalli; 130(4), 321-9 (2004).

Naveh, Nir
Managing Groundwater Levels in an Agricultural Area with Peat Soils. — Nir Naveh and Uri Shamir; 130(3), 243-54 (2004).

Nehrke, Seth M.
Effects of Design Practice for Flood Control and Best Management Practices on the Flow-Frequency Curve. — Seth M. Nehrke and Larry A. Roesner; 130(2), 131-9 (2004).

Nunes, L. M.
Groundwater Monitoring Network Optimization with Redundancy Reduction. — L. M. Nunes, M. C. Cunha, and L. Ribeiro; 130(1), 33-43 (2004).

Ostfeld, Avi
Optimal Layout of Early Warning Detection Stations for Water Distribution Systems Security. — Avi Ostfeld and Elad Salomons; 130(5), 377-85 (2004).

Palaniappan, Meena
Public or Private Water Management? Cutting the Gordian Knot. — Gary H. Wolff and Meena Palaniappan; 130(1), 1-3 (2004).

Papa, Fabian
Discussion of "Runoff Capture and Delivery Curves for Storm-Water Quality Control Designs" by James C. Y. Guo and Ben Urbonas. — Fabian Papa; 130(1), 88 (2004).

Park, Nam-Sik
Multiobjective Genetic Algorithms for Design of Water Distribution Networks. — T. Devi Prasad and Nam-Sik Park; 130(1), 73-82 (2004).

Parker, Nancy L.
CalSim: Generalized Model for Reservoir System Analysis. — Andrew J. Draper, Armin Munévar, Sushil K. Arora, Erik Reyes, Nancy L. Parker, Francis I. Chung, and Lloyd E. Peterson; 130(6), 480-9 (2004).

Peterson, Lloyd E.
CalSim: Generalized Model for Reservoir System Analysis. — Andrew J. Draper, Armin Munévar, Sushil K. Arora, Erik Reyes, Nancy L. Parker, Francis I. Chung, and Lloyd E. Peterson; 130(6), 480-9 (2004).

Pingel, Nathan
Interior Floodplain Flood-Damage Reduction Study. — Nathan Pingel and David Ford; 130(2), 123-30 (2004).

Prasad, T. Devi
Multiobjective Genetic Algorithms for Design of Water Distribution Networks. — T. Devi Prasad and Nam-Sik Park; 130(1), 73-82 (2004).
Booster Disinfection of Water Supply Networks: Multiobjective Approach. — T. Devi Prasad, G. A. Walters, and D. A. Savic; 130(5), 367-76 (2004).

Propato, Marco
Linear Least-Squares Formulation for Operation of Booster Disinfection Systems. — Marco Propato and James G. Uber; 130(1), 53-62 (2004).
Booster System Design Using Mixed-Integer Quadratic Programming. — Marco Propato and James G. Uber; 130(4), 348-52 (2004).

Punnett, Richard E.
Water for the Everglades: Application of the South Florida Systems Analysis Model. — David W. Watkins, Jr., Kenneth W. Kirby, and Richard E. Punnett; 130(5), 359-66 (2004).

Ramírez, Jorge A.
Effects of El Niño Southern Oscillation and Pacific Interdecadal Oscillation on Water Supply in the Columbia River Basin. — Steven B. Barton and Jorge A. Ramírez; 130(4), 281-9 (2004).

Rao, S. V. N.
Conjunctive Use of Surface and Groundwater for Coastal and Deltaic Systems. — S. V. N. Rao, S. Murty Bhallamudi, B. S. Thandaveswara, and G. C. Mishra; 130(3), 255-67 (2004).

Reed, Patrick M.
Striking the Balance: Long-Term Groundwater Monitoring Design for Conflicting Objectives. — Patrick M. Reed and Barbara S. Minsker; 130(2), 140-9 (2004).

Regmi, B.
Interdisciplinary Web-Enabled Spatial Decision Support System for Watershed Management. — R. L. Dymond, B. Regmi, V. K. Lohani, and R. Dietz; 130(4), 290-300 (2004).

Reyes, Erik
CalSim: Generalized Model for Reservoir System Analysis. — Andrew J. Draper, Armin Munévar, Sushil K. Arora, Erik Reyes, Nancy L. Parker, Francis I. Chung, and Lloyd E. Peterson; 130(6), 480-9 (2004).

Ribeiro, L.
Groundwater Monitoring Network Optimization with Redundancy Reduction. — L. M. Nunes, M. C. Cunha, and L. Ribeiro; 130(1), 33-43 (2004).

Ritzema, Randall S.
Optimization of California's Water Supply System: Results and Insights. — Marion W. Jenkins, Jay R. Lund, Richard E. Howitt, Andrew J. Draper, Siwa M. Msangi, Stacy K. Tanaka, Randall S. Ritzema, and Guilherme F. Marques; 130(4), 271-80 (2004).

Roesner, Larry A.
Effects of Design Practice for Flood Control and Best Management Practices on the Flow-Frequency Curve. — Seth M. Nehrke and Larry A. Roesner; 130(2), 131-9 (2004).

Rogers, Beatrice L.
Challenges in Graduate Education in Integrated Water Resources Management. — Paul H. Kirshen, Richard M. Vogel, and Beatrice L. Rogers; 130(3), 185-6 (2004).

Saito, Laurel
Effects of Climate and Dam Operations on Reservoir Thermal Structure. — Brett M. Johnson, Laurel Saito, Mark A. Anderson, Paul Weiss, Mary Andre, and Darrell G. Fontane; 130(2), 112-22 (2004).

Salazar, A. Andres
Conditional Reliability Modeling of Short-Term River Basin Management. — A. Andres Salazar and Ralph A. Wurbs; 130(6), 450-9 (2004).

Salomons, Elad
Optimal Layout of Early Warning Detection Stations for Water Distribution Systems Security. — Avi Ostfeld and Elad Salomons; 130(5), 377-85 (2004).

Savic, D. A.
Booster Disinfection of Water Supply Networks: Multiobjective Approach. — T. Devi Prasad, G. A. Walters, and D. A. Savic; 130(5), 367-76 (2004).

Savic, Dragan A.
Operational Optimization of Water Distribution Systems Using a Hybrid Genetic Algorithm. — Jakobus E. van Zyl, Dragan A. Savic, and Godfrey A. Walters; 130(2), 160-70 (2004).

Schneider, Lauren E.
Undergraduate Research: Responsibility of a Research University. — Lauren E. Schneider; 130(2), 89-92 (2004).

Schultz, Martin T.
State Water Pollution Control Policy Insights from a Reduced-Form Model. — Martin T. Schultz, Mitchell J. Small, R. Scott Farrow, and Paul S. Fischbeck; 130(2), 150-9 (2004).

Shamir, Uri
Managing Groundwater Levels in an Agricultural Area with Peat Soils. — Nir Naveh and Uri Shamir; 130(3), 243-54 (2004).

Shiau, Jenq-Tzong
Feasible Diversion and Instream Flow Release Using Range of Variability Approach. — Jenq-Tzong Shiau and Fu-Chun Wu; 130(5), 395-404 (2004).

Simpson, Angus R.
Genetic Algorithms for Reliability-Based Optimization of Water Distribution Systems. — Bryan A. Tolson, Holger R. Maier, Angus R. Simpson, and Barbara J. Lence; 130(1), 63-72 (2004).

Singh, Raj Mohan
Identification of Unknown Groundwater Pollution Sources Using Artificial Neural Networks. — Raj Mohan Singh, Bithin Datta, and Ashu Jain; 130(6), 506-14 (2004).

Small, Mitchell J.
State Water Pollution Control Policy Insights from a Reduced-Form Model. — Martin T. Schultz, Mitchell J. Small, R. Scott Farrow, and Paul S. Fischbeck; 130(2), 150-9 (2004).

Speight, Vanessa L.
Randomized Stratified Sampling Methodology for Water Quality in Distribution Systems. — Vanessa L. Speight, William D. Kalsbeek, and Francis A. DiGiano; 130(4), 330-8 (2004).

Tanaka, Stacy K.
Optimization of California's Water Supply System: Results and Insights. — Marion W. Jenkins, Jay R. Lund, Richard E. Howitt, Andrew J. Draper, Siwa M. Msangi, Stacy K. Tanaka, Randall S. Ritzema, and Guilherme F. Marques; 130(4), 271-80 (2004).

Thandaveswara, B. S.
Conjunctive Use of Surface and Groundwater for Coastal and Deltaic Systems. — S. V. N. Rao, S. Murty Bhallamudi, B. S. Thandaveswara, and G. C. Mishra; 130(3), 255-67 (2004).

Tolson, Bryan A.
Genetic Algorithms for Reliability-Based Optimization of Water Distribution Systems. — Bryan A. Tolson, Holger R. Maier, Angus R. Simpson, and Barbara J. Lence; 130(1), 63-72 (2004).

Trauth, Kathleen M.
Watershed-Based Modeling with AGNPS for Storm Water Management. — Kathleen M. Trauth and D. Scott Adams; 130(3), 206-14 (2004).

Uber, James G.
Linear Least-Squares Formulation for Operation of Booster Disinfection Systems. — Marco Propato and James G. Uber; 130(1), 53-62 (2004).
Booster System Design Using Mixed-Integer Quadratic Programming. — Marco Propato and James G. Uber; 130(4), 348-52 (2004).

van Zyl, Jakobus E.
Operational Optimization of Water Distribution Systems Using a Hybrid Genetic Algorithm. — Jakobus E. van Zyl, Dragan A. Savic, and Godfrey A. Walters; 130(2), 160-70 (2004).

Vemula, V. R. Subbarao
Risk Evaluation in Water Quality Management of a River System. — V. R. Subbarao Vemula, P. P. Mujumdar, and Subimal Ghosh; 130(5), 411-23 (2004).

Vogel, Richard M.
Challenges in Graduate Education in Integrated Water Resources Management. — Paul H. Kirshen, Richard M. Vogel, and Beatrice L. Rogers; 130(3), 185-6 (2004).

Walski, Thomas M.
Discussion of "Energy and Costs of Leaky Pipes: Toward Comprehensive Picture" by Andrew F. Colombo and Bryan W. Karney. — Thomas M. Walski; 130(2), 180-1 (2004).

Walters, G. A.
Booster Disinfection of Water Supply Networks: Multiobjective Approach. — T. Devi Prasad, G. A. Walters, and D. A. Savic; 130(5), 367-76 (2004).

Walters, Godfrey A.
Operational Optimization of Water Distribution Systems Using a Hybrid Genetic Algorithm. — Jakobus E. van Zyl, Dragan A. Savic, and Godfrey A. Walters; 130(2), 160-70 (2004).

Wanakule, Nisai
Short-Term Forecasting for Urban Water Consumption. — Alaa H. Aly and Nisai Wanakule; 130(5), 405-10 (2004).

Wang, Jinwen
Short-Term Scheduling of Large-Scale Hydropower Systems for Energy Maximization. — Jinwen Wang, Xiaohui Yuan, and Yongchuan Zhang; 130(3), 198-205 (2004).

Watkins, David W., Jr.
Water for the Everglades: Application of the South Florida Systems Analysis Model. — David W. Watkins, Jr., Kenneth W. Kirby, and Richard E. Punnett; 130(5), 359-66 (2004).

Weiss, Paul
Effects of Climate and Dam Operations on Reservoir Thermal Structure. — Brett M. Johnson, Laurel Saito, Mark A. Anderson, Paul Weiss, Mary Andre, and Darrell G. Fontane; 130(2), 112-22 (2004).

Wolff, Gary H.
Public or Private Water Management? Cutting the Gordian Knot. — Gary H. Wolff and Meena Palaniappan; 130(1), 1-3 (2004).

Wu, Fu-Chun
Feasible Diversion and Instream Flow Release Using Range of Variability Approach. — Jenq-Tzong Shiau and Fu-Chun Wu; 130(5), 395-404 (2004).

Wurbs, Ralph A.
Conditional Reliability Modeling of Short-Term River Basin Management. — A. Andres Salazar and Ralph A. Wurbs; 130(6), 450-9 (2004).

Yeh, William W.-G
Multiobjective Optimization for Sustainable Groundwater Management in Semiarid Regions. — James McPhee and William W.-G Yeh; 130(6), 490-7 (2004).

Yu, Shaw L.
Optimal Location and Sizing of Stormwater Basins at Watershed Scale. — Xiao-Yue "Jenny" Zhen, Shaw L. Yu, and Jen-Yang Lin; 130(4), 339-47 (2004).

Yuan, Xiaohui
Short-Term Scheduling of Large-Scale Hydropower Systems for Energy Maximization. — Jinwen Wang, Xiaohui Yuan, and Yongchuan Zhang; 130(3), 198-205 (2004).

Zhang, Yongchuan
Short-Term Scheduling of Large-Scale Hydropower Systems for Energy Maximization. — Jinwen Wang, Xiaohui Yuan, and Yongchuan Zhang; 130(3), 198-205 (2004).

Zhen, Xiao-Yue "Jenny"
Optimal Location and Sizing of Stormwater Basins at Watershed Scale. — Xiao-Yue "Jenny" Zhen, Shaw L. Yu, and Jen-Yang Lin; 130(4), 339-47 (2004).

Zou, Rui
Robust Water Quality Model Calibration Using an Alternating Fitness Genetic Algorithm. — Rui Zou and Wu-Seng Lung; 130(6), 471-9 (2004).